

Notation and Terminology

Here are some common phrases that appear in the instructions for computational exercises, with examples of the corresponding code.

Files

- Open X for reading (or writing) using file handle Y:

```
Y = open(X)
Y = open(X, 'w')
```

Loops

- Use X to loop over Y:
or: Loop over Y using X:

```
for X in Y:
```

Calling functions

- Set Z to the result of calling F on X and Y:

```
Z = F(X, Y)
```

- Call F on X and Y:

```
F(X, Y)
```

Calling methods of an object

- To emphasize something is a method call it will be shown with a dot: `.met()`. That's a reminder that the actual call will have the form `obj.met()` where `obj` is the object whose method is being called.
- Set R to the result of calling the `.met()` method of `obj` with argument A
or: Set R to the result of calling `obj's .met()` method with argument A
or: Set R to the result of calling `.met()` on `obj` with argument A:

```
R = obj.met(A)
```

- Call the `.met()` method of `obj` with argument A
or: Call `obj's .met()` method with argument A
or: Call `.met()` on `obj` with argument A:

```
obj.met(A)
```

Working with dictionaries

- Set the value of X in Y to Z:

```
Y[X] = Z
```

- Set Z to the value of X in Y:

```
Z = Y[X]
```

- The keys or values of X:

```
X.keys()
X.values()
```

Working with Pandas Series and DataFrames

- Set element Y of (series) S to X:
 $S[Y] = X$
- Set X to element Y of (series) S:
 $X = S[Y]$
- Set column C of (dataframe) D to X:
 $D[C] = X$
- Set X to column C of (dataframe) D:
 $X = D[C]$
- Set X to row R of (dataframe) D:
 $X = D.loc[R]$
- Set X to the result of using selector `.loc[S]` on Y
or: Set X to the result of using selector `.iloc[S]` on Y:
 $X = Y.loc[S]$
 $X = Y.iloc[S]$